

Product Specifications

Brand	SFENG
Object number	SF-420*4820
Plunger	Stainless steel
Barrel	Brass
Spring	Steel
Spring force	Personalized
Complete travel	15mm
Current ration	15A
Current resistance	Personalized
Pitch	No
Mounting hole dimensions	No
MOQ	100 pcs
Delivery time	7 working days after receiving the payment

Product image



Our service

1. We will reply your inquiry within 24 working hours.

2. Customized design is available and OEM is welcomed.
3. We can deliver the probe pins to our worldwide customers with speed and accuracy.
4. We can supply the lowest price with high quality products to our customer .

Main Products

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, tracking, batteries, semiconductors & Interconnect applications;

Double ended probe for BGA and semiconductor testing;

Universal pin without spring, the coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminals & receptacle / socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Quality control

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

Packaging image

