

## **Product Specification**

Brand	SFENG
Item number	SF-P080
Plunger	Brass
Barrel	Brass
Spring	Music Wire
Spring Force	80g
Full Travel	2.0
Current Ration	1A
Current Resistance	50mW
Pitch	1.0mm
Mounting hole size	0.75mm
MOQ	100 pcs
Lead time	7 working days after receiving the payment

## **Product Picture**



## ***Our Service***

1. We can reply your inquiry within 24 working hours.
2. Customized design is available and OEM are welcomed.
3. We can deliver the probe pins to our clients all over the world with speed and precision.
4. We can provide the lowest price with high quality product to our client .

## ***Main Products***

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;







Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

## Quality Control

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white industrial machine with a glass door and a control panel on the right side.	 A white YoRi adjustable DC power supply with a digital display and various control knobs and buttons.	 A white digital current resistance tester with a large green LED display showing '0.000' and a control knob.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope on a wooden desk.	 A blue and white tensile strength tester with a vertical column and a sample holder.	 A white spring tester with a digital display and a control panel.

## Packing Picture



**Factory Image**

