

Especificação Do Produto

| | |
|-----------------------------|--|
| Marca | SFENG |
| Número de item | SF-P100 |
| Pistão | Latão ou Becu, ouro ou Ni chapeado |
| Barril | Bronze, ouro ou Ni chapeado |
| Mola | SK4, fio de música |
| A força da mola | 200g |
| Curso Completo | 6,4 milímetros |
| Ração atual | 3A |
| Resistência à corrente | 50mΩ |
| Arremesso | 2,54 milímetros |
| Tamanho do furo de montagem | 1,7 milímetros |
| MOQ | 100 pcs |
| Tempo de espera | 7 dias úteis após o recebimento do pagamento |

Imagem do Produto



Nosso Serviço

- 1.Reply sua pergunta withn 24 horas de trabalho
- 2.Customized projeto está disponível, OEM são bem-vindas
- 3.Delivery os pinos de sonda para nossos clientes em todo o mundo com velocidade e precisão
- 4.Provide o menor preço com alta qualidade para o nosso cliente

Produtos Principais

- Mola carregada pin (single) para PCB, as TIC, teste FCT, etc;
- Pogo pino (conector) para estabelecer uma ligação (usuallytemporary) entre dois placas de circuito impresso para charging, localização, bateria, semicondutores & amp; interconnectApplications;
- Duplo terminou probef orBGA & amp; semiconudtion testes;
- Pin Universal sem mola, coatingpin, LM pin withQZ & amp; VZseries;
- Alta atual sonda, sonda Switch, agulha de capacitância ...
- Terminal & amp; receptáculo / socket;
- Relacionadas Outro compents eletrônicos, 30 bloqueios # OKwire, gabarito, POM, Ironhinge, etc

Controlo De Qualidade

| | | |
|---|--|--|
| Spring exhausted tester | DC power supply | Current resistance tester |
|  A tall, white, industrial-grade cabinet with a glass door on the upper half and a solid door on the lower half. It is positioned in a laboratory setting. |  A white, rectangular benchtop power supply. The front panel features a red power switch, a red output terminal, a black output terminal, and a blue output terminal. It has a digital display and several control knobs. |  A white benchtop instrument with a large green digital display showing '8888'. It has a warning symbol and a 'ZERO' button on the right side. The front panel also features two blue buttons and a circular port. |
| Microscope | Tensile strength tester | Spring tester |
|  A white and black compound microscope with a large objective lens and a camera attachment on top. It is placed on a wooden table. |  A blue and white mechanical testing machine with a vertical column and a horizontal crosshead. It is used for tensile testing of materials. |  A white mechanical testing machine with a vertical column and a horizontal crosshead. It is used for testing the properties of springs. |

Imagem da embalagem

