

## PONTA DE COMBINAÇÃO DE PONTO DE BOBINA

Especificação:

|                    |   |
|--------------------|---|
| Marca              | SFENG SONDA   |
| Item Número        | <a href="#">Sonda do interruptor</a> SF-SP2.96 * 49,5 |
| Êmbolo             | Latão   |
| Barril             | Latão   |
| Primavera          | Aço inoxidável  |
| Chapeamento        | ouro banhado sobre níquel                             |
| Cabeça de plástico | POM   |
| Final do pino      | Bronze  |
| Força da primavera | 100g  |
| MOQ                | 100 PCS E se nós ter estoque                          |
| Conduzir Tempo     | 2-15days depois de recebendo a Forma de pagamento     |

produtos Exposição:









Nosso principal produto:

Spring loaded pin (single) for PCB, ICT, FCT testing etc;  
Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;  
Double ended probe for BGA and Semiconductor testing;  
Universal pin without spring, coating pin, LM pin with QZ and VZ series;  
High current probe, Switch probe, Capacitance needle;  
Terminal & receptacle /socket;  
Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Nossas vantagens:

- 1.we have 30 years experience in probe pin and have ourself factory.
- 2.we provide free sample and have a testing department.
- 3.we could manufacture products as your request.
- 4.we guarantee best price and good service.

Equipamento de teste:

|  |  |   |
|--|--|---|
| Spring exhausted tester  | DC power supply  | Current resistance tester   |
|   |   |   |
| Microscope   | Tensile strength tester  | Spring tester   |
|  |  |  |

Pacote:

