


Especificação do produto


marca	SFENG
Número de item	pogo pim
galvanização	Ni-chapeados ou banhado a ouro
Tempo de espera	7 dias úteis após o recebimento do pagamento

Imagem do produto







SF-P071G-250




SF-P073G-205




SF-P089G-098




SF-P095G-250




SF-P101G-200




SF-P105G-210




SF-P110G-180




SF-P111G-150




SF-P120G-200



SF-P130G-210




SF-P141G-098




SF-P154G-250

szshengfengdz.en.alibaba.com


szshengfengdz.en.alibaba.com



SF-155G-150




SF-167G-250




SF-169G-170


szshengfengdz.en.alibaba.com



SF-174G-200



SF-P180G-210



SF-P180G-320

Nosso serviço

1. Nós podemos responder a sua inquérito dentro de 24 horas de trabalho.
2. personalizado projeto está disponível e OEM são bem-vindas.
3. Nós podemos entregar os pinos de sonda para nossos clientes em todo o mundo com velocidade e precisão.
4. Nós podemos fornecer o menor preço com produto de alta qualidade para o nosso cliente.

Produtos Principais

Primavera pino carregado (single) para PCB, as TIC, teste FCT etc;

pin Pogo (conector) para estabelecer conexão entre duas placas de circuito impresso para a cobrança, centralização, bateria, Semiconductor & amp; aplicações de interconexão;

sonda dupla terminou para BGA e testes de semicondutores;

pin Universal sem mola, pino revestimento, pin LM com QZ e série VZ;

sonda de alta corrente, Switch sonda, agulha de capacitância;

Terminal & amp; receptáculo / socket;

Outros componentes eletrônicos relacionados, 30 # OK fio, fechaduras Jig, POM, Ferro dobradiça etc

Controle de qualidade

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, industrial-grade cabinet with a glass door and a control panel on the right side.	 A white, rectangular device with a black front panel. It features a red emergency stop button, a power switch, and several output terminals. The brand name 'YoRI' is visible on the top left.	 A white, rectangular device with a large green digital display showing '8888'. It has a control knob and a power button on the right side.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a stage, objective lenses, and an eyepiece.	 A blue and white machine used for testing the tensile strength of materials. It has a vertical column and a sample holder.	 A white and blue machine used for testing springs. It has a vertical column and a sample holder.

Imagem de embalagem

