


Pino de contato com pino de extremidade dupla SF-PPA0.31 BY 6.3-BB

Especificação:

Marca	SFENG PROBE
Item Número	Pino de contato com pino de extremidade dupla SF-PPA0.31 BY 6.3-BB
Desentupidor	Becu
Barril	PhBz
Primavera	SWP
Chapeamento	ouro banhado sobre níquel
Primavera força	20g \pm 20% @ carga curso de trabalho de 0,70 mm
Contato Resistência	\square 50m ohm
Atual razão	1A
MOQ	100PCS E se nós ter estoque
Conduzir Tempo	2-15days depois de recebendo a Forma de pagamento

Cenário Exposição:






Nossas vantagens:

1. we have 30 years experience in probe pin and have ourself factory.
2. we provide free sample and have a testing department.
3. we could manufacture products as your request.
4. we guarantee best price and good service.


Nosso principal produto:

Spring loaded pin (single) for PCB, ICT, FCT testing etc;
Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;
Double ended probe for BGA and Semiconductor testing;
Universal pin without spring, coating pin, LM pin with QZ and VZ series;
High current probe, Switch probe, Capacitance needle;
Terminal & receptacle /socket;
Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Equipamento de teste:



1. Agilent current testing



2. Quadratic element



3. Load Curve Meter



4. Bond Test



5. Life Fatigue Test



6. Microscope

Pacote:

Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.

