


## Especificação do produto

Marca	SFENG
Número de item	SF-PH15-G2.5
Desentupidor	Latão
Barril	POM
Primavera	SUS
Força da primavera	150g
Viagem completa	5,0
Quantidade mínima	100

## Imagem do produto



## Nosso serviço

1. Podemos responder sua pergunta dentro de 24 horas úteis.
2. O design personalizado está disponível e o OEM é bem-vindo.
3. Podemos entregar os pinos da sonda para nossos clientes em todo o mundo com velocidade e precisão.
4. Podemos fornecer o menor preço com produtos de alta qualidade ao nosso cliente.

## Produtos Principais

Pino com mola (único) para testes de PCB, ICT, FCT, etc;

Pino Pogo (conector) para estabelecer conexão entre duas placas de circuito impresso para aplicações de carregamento, localização, bateria, semicondutores e interconexão;

Sonda dupla para testes de BGA e semicondutores;







Pino universal sem mola, pino de revestimento, pino LM com séries QZ e VZ;

Sonda de alta corrente, sonda de comutação, agulha de capacitância;

Terminal e receptáculo/soquete;

Outros componentes eletrônicos relacionados, fio 30# OK, travas jig, POM, dobradiça de ferro etc.

## **Controle de qualidade**

Spring exhausted tester	DC power supply	Current resistance tester
 A large, white, industrial-grade cabinet with a glass door, likely used for testing springs under high pressure or temperature.	 A white, rectangular DC power supply unit with a black front panel. It features a red emergency stop button, a power switch, and several output terminals.	 A white electronic device with a green digital display showing '8888'. It has a 'BLIND BEAM' warning symbol and a circular dial on the right side.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a digital camera attachment on top, used for inspecting small components.	 A blue and white mechanical testing machine with a vertical column and a sample holder, used for measuring the tensile strength of materials.	 A white mechanical testing machine with a digital display and a control panel, used for testing the properties of springs.

## **Imagem da embalagem**

