
# **Especificações**


Marca	SFENG
Modelo	Sonda de comutação SF-KP1.65*44.6-J (ponta redonda)
Desentupidor	Berílio Cobre
Corpo	Latão
Primavera	Música fio
Força da primavera	300g (10,8 onças) ou 200g (7,2 onças) ou 100g (3,6 onças)
Viagem completa	5,0 mm
Switch caminho	1,5±0,2mm
Resistência de corrente	10 mΩ
Pontas	PlaNÃO de plástico, Copa, Plano
Versão de fechamento	NO
MOQ	100
tempo de entrega	15 dias após confirmar ordem

# Imagem do Produto





Alternância teste sonda desenho



#### Nossa fábrica



### **Produtos Principais**

Pino de mola (simples) de teste de PCB, ICT, FCT;

Pino de mola (conector) para estabelecer uma conexão entre duas placas de circuito impresso para carregamento, posicionamento, baterias, semicondutores e amplificadores; aplicativos de interconexão;

Sonda dupla de teste de BGA e semicondutor;

Pino universal sem mola, agulha de pintura, pino LM série QZ e VZ;

Sonda de alta corrente, interruptores de sonda, agulha de capacitores;

Cais e amplificador; soquete / soquete;

Outros componentes eletrônicos relacionados, linha 30# OK, jig lock, POM, dobradiças de ferro, etc.

Processo de produção







1. Raw material warehouse 2. Lathe workshop

3. Assemble workshop







4. Quality inspection


5. Finished products

6. Packing

## Equipamento de teste



1. Agilent current testing



2. Quadratic element



3.Load Curve Meter



4.Bond Test



5.Life Fatigue Test



6.Microscope

## Embalagem & entrega

Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.













