

## 5,7 мм длина двусторонний штифт для BGA

Спецификация:

марка	SFENG PROBE
Вещь Число	5,7 мм длина двусторонний штифт для BGA SF038B570B33
Поршень	BeCu
бочка	PhBz
весна	SWP
золочение	золото никелированный над никель
весна сила	35g ± 20%
контакт сопротивление	<50m ом
Полный ход	1.1mm
MOQ	100 ШТ если мы иметь акции
привести время	2-15days после принимающий оплата

Рисунок Показать:





Наши преимущества:

1. we have 30 years experience in probe pin and have ourself factory.
2. we provide free sample and have a testing department.
3. we could manufacture products as your request.
4. we guarantee best price and good service.

Наш основной продукт:

Spring loaded pin (single) for PCB, ICT, FCT testing etc;  
Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;  
Double ended probe for BGA and Semiconductor testing;  
Universal pin without spring, coating pin, LM pin with QZ and VZ series;  
High current probe, Switch probe, Capacitance needle;  
Terminal & receptacle /socket;  
Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Испытательное оборудование:

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

Пакет:

