


Разъем Pogo Pin с двойной головкой

Спецификация:

Бренд	SFENG ЗОНД
Элемент Число	Пого-булавка с двойной головкой ГБ031D570D20-BB-A6
Материал	Плунжер: Веси/позолоченный Плунжер: Веси/позолоченный Ствол: PhVz/позолоченный Пружина: Музыкальный провод/Позолоченный
Весна сила	20 г
Рекомендуемое путешествие	0,65 мм
Полное путешествие	1,1 мм
Подача	0,45
Контакт Сопротивление	100 м ом
Время цикла	100 000 раз
минимальный заказ	100 ШТ если мы иметь запас
Вести время	2-15 дней после получение тот оплата









Наши преимущества:

1. we have 30 years experience in probe pin and have ourself factory.
2. we provide free sample and have a testing department.
3. we could manufacture products as your request.
4. we guarantee best price and good service.

Наш основной продукт:

Spring loaded pin (single) for PCB, ICT, FCT testing etc;
Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;
Double ended probe for BGA and Semiconductor testing;
Universal pin without spring, coating pin, LM pin with QZ and VZ series;
High current probe, Switch probe, Capacitance needle;
Terminal & receptacle /socket;
Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Тестовое оборудование:

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

Упаковка:

