
<u>Разъем контактной головки Родо с двойной головкой</u>

Спецификация:

марка	SFENG PROBE
Вещь Число	Двойной головной штифт родо SF031U330U30
Поршень	BeCu
бочка	PhBz
весна	SWP
золочение	золото покрыло над никель
весна сила	30г или же подгонянный
контакт сопротивление	<50m ом
Текущий рацион	1A
MOQ	100 ШТ если мы иметь склад
вести время	2-15days после получение оплата

Картина Шоу:





Наши преимущества:

- 1.we have 30 years experience in probe pin and have ourself factory.
- 2.we provide free sample and have a testing department.
- 3.we could manufacture products as your request.
- 4.we guarantee best price and good service.

Наш основной продукт:


Spring loaded pin (single) for PCB, ICT, FCT testing etc;
Pogo pin (connector) to establish connection between two
printed circuit boards for charging, locating, Battery, Semic
onductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;
Universal pin without spring, coating pin, LM pin with QZ a
nd VZ series;

High current probe, Switch probe, Capacitance needle; Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig loc ks, POM, Iron hinge etc

Испытательное оборудование:



Пакет:

