


Product Specification

Brand	SFENG
Item number	SF-PH420*4850-H
Plunger	Becu,Au on Ni plated
Barrel	Brass, Au on Ni plated
Spring	SUS
Spring Force	730g±100g
Current Rating	15A
Contact Resistance	20mΩ
MOQ	100 pcs
Lead time	7 working days after receiving the payment

Product Picture



Our Service

1. We can reply your inquiry within 24 working hours.
2. Customized design is available and OEM are welcomed.
3. We can deliver the probe pins to our clients all over the world with speed and precision.
4. We can provide the lowest price with high quality product to our client .

Main Products

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;







Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Quality Control

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, cabinet-style machine with a glass door on the left side, likely used for testing spring fatigue.	 A white, rectangular DC power supply unit with a black front panel. It features a red power switch, several control knobs, and output terminals. The brand name 'YoRi' is visible on the top left.	 A white, rectangular electronic device with a large green digital display showing '8.8.8.8'. It has a control knob and a warning symbol on the right side.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a large objective lens and a viewing eyepiece, mounted on a base.	 A blue and white mechanical testing machine with a vertical column and a horizontal crosshead, used for measuring tensile strength.	 A white mechanical testing machine with a vertical column and a horizontal crosshead, similar to a tensile strength tester but specifically designed for spring testing.

Packing Picture

