


Sản phẩm Sự chỉ rõ

Mục Mã số	Pin SF-Pogo M6*46.5-G
Chất liệu và hoàn thiện	Pít tông: Đồng thau, mạ Au trên Ni Thùng: Đồng thau, mạ Au trên Ni, Mùa xuân: SUS
Độ dày đầy đủ	13,0mm
Độ dày định mức	6,5mm
Lực lò xo	300g



Sản phẩm hình ảnh



Của chúng tôi Thuận lợi

1. chúng tôi có 30 năm kinh nghiệm về pin thăm dò và có nhà máy của chúng tôi.
2. chúng tôi cung cấp mẫu miễn phí và có bộ phận kiểm tra.
3. chúng tôi có thể sản xuất sản phẩm theo yêu cầu của bạn.
4. chúng tôi đảm bảo giá tốt nhất và dịch vụ tốt.

Sản phẩm chính của chúng tôi

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;

Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;


Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Kiểm tra Kiểm soát thiết bị



1. Agilent current testing



2. Quadratic element



3. Load Curve Meter



4. Bond Test



5. Life Fatigue Test



6. Microscope

Bao bì và Lô hàng

Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.

