

## Product Specification

|                    |  |
|--------------------|--|
| Brand              | SFENG                                      |
| Item number        | SF-P75-J                                   |
| Plunger            | brass                                      |
| Barrel             | brass                                      |
| Spring             | SUS or Music wire                          |
| Spring Force       | 120g                                       |
| Full Travel        | 3.4(0.1319")/2.5(0.0984")                  |
| Current Ration     | 3A   |
| Current Resistance | 50mΩ                                       |
| Pitch              | 1.90(0.0748")                              |
| Mounting hole size | 1.35(0.0532")/1.40(0.0551")                |
| MOQ                | 100 pcs                                    |
| Lead time          | 7 working days after receiving the payment |

## Product Picture



胜峰探针  
**SFENG**  
The China's The World's



[chinapogopinsupplier.com](http://chinapogopinsupplier.com)

## ***Our Service***

1. We can reply your inquiry within 24 working hours.
2. Customized design is available and OEM are welcomed.
3. We can deliver the probe pins to our clients all over the world with speed and precision.
4. We can provide the lowest price with high quality product to our client .

## **Main Products**

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;







Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

## Quality Control

|   |  |   |
|---|--|---|
| Spring exhausted tester   | DC power supply  | Current resistance tester   |
|  A tall, white, industrial-grade cabinet with a glass door and control panel on the right side. |  A white, rectangular power supply unit with a black top panel and various control knobs and buttons on the front. |  A white, rectangular device with a large green digital display showing '8888' and a control knob on the right side. |
| Microscope  | Tensile strength tester  | Spring tester   |
|  A white and black compound microscope on a wooden desk.                                       |  A blue and white mechanical testing machine with a vertical frame and a sample being tested.                     |  A white mechanical testing machine with a digital display and a control panel, used for testing springs.           |

## Packing Picture



**Factory Image**

