

## ***Product Specification***

Brand	SFENG
Item number	Spring loaded guide pin
Material	Brass or steel
Finish	Nickel plated
Spring	Stainless steel
Size	ø3.2, 4.0, 5.0, 6.0
Length	Customized
MOQ	100 pcs

## ***Product pictures***

**SFENG**  
The China's The World's



**SFENG**

The China's The World's



**SFENG**  
The China's The World's



**SFENG**  
The China's The World's



**SFENG**  
The China's The World's





## ***Our Service***

1. We can reply your inquiry within 24 working hours.
2. Customized design is available and OEM are welcomed.
3. We can deliver the probe pins to our clients all over the world with speed and precision.
4. We can provide the lowest price with high quality product to our client .

## ***Main Products***

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;  
Double ended probe for BGA and Semiconductor testing;  
Universal pin without spring, coating pin, LM pin with QZ and VZ series;  
High current probe, Switch probe, Capacitance needle;  
Terminal & receptacle /socket;  
Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge et c

## **Production Flow**



**1. Raw material warehouse**



**2. Lathe workshop**



**3. Assemble workshop**



**4. Quality inspection**




**5. Finished products**




**6. Packing**

## **Quality Control**





1. Agilent current testing



2. Quadratic element



3. Load Curve Meter



4. Bond Test



5. Life Fatigue Test



6. Microscope

## Package & delivery

Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.

