


Product Specification

| | |
|--------------------|---|
| Brand | SFENG |
| Item number | SF-PH420*4850-H |
| Material | Plunger: Ph Barrel: Brass Spring: SUS |
| Current Rating | 15A |
| Contact Resistance | 20mΩ |
| Spring Force | 730±100gf @load 7.70mm |
| Rated Stroke | 7.70mm |
| MOQ | 100 |

Product Drawing



Our Service

1. We can reply your inquiry within 24 working hours.
2. Customized design is available and OEM are welcomed.
3. We can deliver the probe pins to our clients all over the world with speed and precision.
4. We can provide the lowest price with high quality product to our client .

Main Products

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Batt

ery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;







Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Quality Control

| | | |
|--|--|---|
| Spring exhausted tester | DC power supply | Current resistance tester |
|  A tall, white, cabinet-style machine with a glass door and a control panel on the right side. |  A white, rectangular device with a black top panel. The front panel features a red power switch, several knobs, and output terminals. The brand name 'YoRi' is visible. |  A white, rectangular device with a large green digital display showing '8888'. It has a control knob and a warning symbol on the front panel. |
| Microscope | Tensile strength tester | Spring tester |
|  A white and black compound microscope with a stage and objective lenses. |  A blue and white mechanical testing machine with a vertical column and a sample holder. |  A white mechanical testing machine with a digital display and a control panel, used for testing springs. |

Packing Picture

