
# **Specifications**


Brand	SFENG
Model	Switching probe SF-KP1.65*44.6-G1.8 (NO)
Plunger	Beryllium Copper
Body	Brass
Spring	Music wire
Spring force	300g∏10.8oz∏ or 200g (7.2 oz) or 100g (3.6 Oz)
Full travel	5.0mm
Switch path	1.5±0.2mm
Current Resistance	10 mΩ
Tips	Plastic flat, Cup, Flat
Closing version	NO
MOQ	100
delivery time	15 Days after confirming order

# **Product Image**





Switching test probe drawing



#### **Our factory**



#### **Main products**

Spring-loaded pin (single) of PCB, ICT, FCT testing;

Spring pin (connector) to establish a connection between two printed circuit boards for charging, positioning, batteries, semiconductors and amplifiers; interconnect applications;

BGA and semiconductor test double-ended probe;

Universal pin no spring, paint needle, LM pin QZ and VZ series;

High current probe, the probe switches, capacitors needle;

Pier and amplifier; socket / socket;

Other related electronic components, 30 # OK line, jig lock, POM, iron hinges, etc.

#### **Production process**







1. Raw material warehouse 2. Lathe workshop

3. Assemble workshop







4. Quality inspection


5. Finished products

6. Packing


### Testing equipment



1. Agilent current testing



2. Quadratic element



3.Load Curve Meter



4.Bond Test



5.Life Fatigue Test



6.Microscope

### Packing & delivery

Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.













