
# **Production specifications**

Item number	SF3883		
Size	dia8.5*L88.0mm		
Material	Plunger:Te Barrel:Brass Spring:SWP Top:POM		
Full stroke	18mm		
Rated stroke	12mm		
Spring force	1400±250gf@ load 12mm 2000±400gf@ load 18mm		
MOQ	300PCS		
Payment	T/T		
Delivery time	5-15days after receiving the payment		

## **Product Pictures**



### **Production Flow**

### Production Flow (生产流程)









1. raw material warehouse 2. Lathe workshop

3. Assemble workshop







4. Quality inspection


5. Finished products


6. Packing

### **Testing Equippment**

# **Measuring Equipment** >











#### **Measuring Equipment:**

- 1. Agilent current testing;
- 2. Quadratic element measurement
- 3.Load Curve Meter
- 4.Bond Test
- 5.Life Fatigue Test

### **Packing**



### Main products

- 1.Spring loaded pin(single)for PCB,ICT,FCTtesting etc;
- 2.Pogo pin(connector)to establish connection between two printed circuit boards for charging,loc ating,battery,semiconductor&interconnector applications;
- 3. Double ended probes for BGA and semiconductor testing;
- 4. Universal pin without spring, coating pin, LM pin with QZ and VZ series;
- 5. High current probe, switch probe, capacitance needdle;
- 6.Terminal&receptacle/socket;
- 7.Other related electronic components, Jig locks, POM and etc.

Whatever you want, please contact us without hesitation ,and we will try our best to meet your requirement within our capability.

#### Our service

- 1.We can reply your inquiry within 24 working hours;
- 2. Customized design is available and OEM are welcomed;
- 3.We can deliver the probe pins to our clients all over the world with speed and precision.
- 4.We can provide the lowest price with high quality products to our clients.