


Product specifications

| | |
|-------------------|--------------------------------------|
| Item number | SF5067 |
| Rated current | 3A |
| Rated resistance | $\leq 50\text{m}\Omega$ |
| Spring force | $100\text{g}\pm 20\text{g}$ |
| Switching path | 1.0mm |
| Plunger | Ph, Ni plated |
| Barrel | Brass, gold plated |
| Tail pin | Brass, gold plated |
| Spring | SUS |
| Customize support | OEM & ODM |
| MOQ | 100PCS |
| Package | Plastic bag, carton box |
| Payment | 100% T/T before shipment |
| Delivery time | 5-10days after receiving the payment |

Product Pictures



材质与弹力:

1. 外套: 黄铜镀金
2. 针头: 磷铜镀金
3. 尾针: 黄铜镀金
4. 弹簧: 不锈钢线

技术要求:

1. 额定电流: 3A
2. 额定电阻: $\leq 50\text{m}\Omega$
3. 开关距离: 1.0mm
4. 开关弹力: $100\text{g}\pm 20\text{g}$

Production Flow



1. raw material warehouse



2. Lathe workshop



3. Assemble workshop



4. Quality inspection



5. Finished products



6. Packing

Testing Equipment

Measuring Equipment >



Measuring Equipment:

1. Agilent current testing;
2. Quadratic element measurement
3. Load Curve Meter
4. Bond Test
5. Life Fatigue Test

Packing



Main products

- 1.Spring loaded pin(single)for PCB,ICT,FCTtesting etc;
- 2.Pogo pin(connector)to establish connection between two printed circuit boards for charging,locating,battery,semiconductor&interconnector applications;
- 3.Double ended probes for BGA and semiconductor testing;
- 4.Universal pin without spring,coating pin,LM pin with QZ and VZ series;
- 5.High current probe,switch probe,capacitance needle;
- 6.Terminal&receptacle/socket;
- 7.Other related electronic components,Jig locks,POM and etc.

Whatever you want,please contact us without hesitation ,and we will try our best to meet your requirement within our capability.

Our service

- 1.We can reply your inquiry within 24 working hours;
- 2.Customized design is available and OEM are welcomed;
- 3.We can deliver the probe pins to our clients all over the world with speed and precision.
- 4.We can provide the lowest price with high quality products to our clients.