


Double Head contact Pogo Pin Connector

Specification:

Brand	SFENG PROBE
Item Number	Double head pogo pin GB031D570D20-BB-A6
Material	Plunger : Becu / Gold Plated Plunger : Becu / Gold Plated Barrel : PhBz / Gold Plated Spring : Music wire / Gold Plated
Spring force	20g
Recommended travel	0.65mm
Full travel	1.1mm
Pitch	0.45
Contact Resistance	100m ohm
Cycle time	100,000times
MOQ	100PCS if we have stock
Lead time	2-15days after receiving the payment



Our Advantages:

1. we have 30 years experience in probe pin and have ourself factory.
2. we provide free sample and have a testing department.
3. we could manufacture products as your request.
4. we guarantee best price and good service.

Our Main Product:

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;

Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Testing Equipment:

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

Package:

