

Product Specification

Model	SF-12.0*55.5
Material	Copper Alloy
Current Rating	30A
Contact resistance (initial)	$1.0 \mathrm{m}\Omega$
Full Compression Travel	≥7.0mm
Recommended Work Travel	4.0kg±20%(5.0mm)

Product Drawing







Our Service

- 1. We can reply yourinquiry within 24 working hours.
- 2. Customizeddesign is available and OEM are welcomed.
- 3. We can deliverthe probe pins to our clients all over the world with speed and precision.

4. We can provide the lowest price with high quality product to our client

Main Products

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locati ng, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;

Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

production flow





1. Raw material warehouse 2. Lathe workshop

3. Assemble workshop







5. Finished products



6. Packing

shipping information



Factory Image



FAQ

FAQ

1. What is terms of SFENG payment?

Usually, we require 100% payment before delivery. You can choose Wire transfer and Pay Pal. The currency we accept are USD dollar, Japanese Yuan and RMB. Payment term is negotiable for special order.

2. What is the lead time of orders?

SFENG can send standard probes products out within 3 days. For customized products, the lead time is 15-20 days depending on order quantity.

3. How does SFENG control product quality?

SFENG have skilled QC team and professional testing equipment. From raw material to finished products, we have complete checking process. Only approved products are allowed to deliver to customer.

4. Can customized products be accepted?

Yes, one biggest advantage of SFENG is product customization. Just telling us the parameter and function you need, our professional engineer will design product specially for you.

5. How does SFENG hand in case of a compliant?

Compliant seldom happen. Usually, we will find root case and take corrective measure within one week since receiving defective samples.